



# TILE + STONE SOURCE


*Know Your Tile*

**CLOUD**  
HD PORCELAIN TILE



18x36 CLOUD GREY HD PORCELAIN TILE

**CLOUD GREY**  
POLISHED  
HD PORCELAIN TILE



12x24 CLOUD GREY  
HD PORCELAIN TILE

**CLOUD GREY**  
POLISHED  
HD PORCELAIN TILE




12x24 CLOUD GREY  
HD PORCELAIN TILE  
309-102(P)



18x36 CLOUD GREY  
HD PORCELAIN TILE  
309-104(P)

**CLOUD IVORY**  
POLISHED  
HD PORCELAIN TILE



12x24 CLOUD IVORY  
HD PORCELAIN TILE

**CLOUD IVORY**  
POLISHED  
HD PORCELAIN TILE



12x24 CLOUD IVORY  
HD PORCELAIN TILE  
309-101(P)



18x36 CLOUD IVORY  
HD PORCELAIN TILE  
309-103(P)

*Packaging Information*

DESCRIPTION	ITEM CODE	LBS/BOX	PCS/BOX	SQFT/BOX	PCS/SKID	SQFT/SKID
12"x24" CLOUD GREY POLISHED	309-102	72.75	8	16	320	640
12"x24" CLOUD IVORY POLISHED	309-101	72.75	8	16	320	640
18"x36" CLOUD GREY POLISHED	309-104	63.93	3	13.5	87	391.5
18"x36" CLOUD IVORY POLISHED	309-103	63.93	3	13.5	87	391.5

*General Specifications*

DESCRIPTION	METHOD	UNIT	12"x24"	18"x36"
ACTUAL SIZE	ISO 10545-2	mm in	297 x 600 mm 11.8 x 23.6 in	450 x 900 mm 17.7 x 35.4 in
THICKNESS	ISO 10545-2	mm - in	9.6 mm - 0.38 in	9.8 mm - 0.39 in
WATER ABSORPTION	ISO 10545-3	(%)	≤ 0.1	≤ 0.1
ABRASION RESISTANCE	ISO 10545-4	(PEI)	Class 3	Class 3
SCRATCH HARDNESS	EN 15771	(Mohs)	5	5
BREAKING STRENGTH	ISO 10545-4	(N)	≥ 1300	≥ 1300
CHEMICAL RESISTANCE	ISO 10545-13	(GL)	Class GLA	Class GLA
FROST RESISTANCE	ISO 10545-12		Fully Resistant	Fully Resistant
STATIC COF (WET)		(μ)	≥ 0.60	≥ 0.60
STATIC COF (DRY)		(μ)	≥ 0.70	≥ 0.70
SHADE VARIATION			V3	V3





**TILE + STONE  
SOURCE**

---

*Know Your Tile*

**Tile + Stone Source**  
 #105, 6204 6A St SE  
 Calgary, AB T2H 2B7  
 403.252.8868

15304 111 Ave NW  
 Edmonton, AB T5M 4C8  
 780.756.8453

[www.tilestonesource.com](http://www.tilestonesource.com)