TILE + STONE SOURCE

AGGREGATE
HD PORCELAIN TILE

24x24 AGGREGATE SAND SPECIAL GLAZE

AGGREGATE SAND
SPECIAL GLAZED
HD PORCELAIN TILE

18x36 AGGREGATE SAND SPECIAL GLAZED
HD PORCELAIN TILE

AGGREGATE SAND
SPECIAL GLAZED
HD PORCELAIN TILE

18x36 AGGREGATE SAND SPECIAL GLAZED
HD PORCELAIN TILE
336-101

AGGREGATE LIGHT GREY
SPECIAL GLAZED
HD PORCELAIN TILE



18x36 AGGREGATE LIGHT GREY SPECIAL GLAZED
HD PORCELAIN TILE

AGGREGATE LIGHT GREY
SPECIAL GLAZED
HD PORCELAIN TILE

18x36 AGGREGATE LIGHT GREY SPECIAL GLAZED
HD PORCELAIN TILE
336-102

AGGREGATE DARK GREY
SPECIAL GLAZED
HD PORCELAIN TILE



18x36 AGGREGATE DARK GREY SPECIAL GLAZED
HD PORCELAIN TILE

AGGREGATE DARK GREY
SPECIAL GLAZED
HD PORCELAIN TILE

18x36 AGGREGATE DARK GREY SPECIAL GLAZED
HD PORCELAIN TILE
336-103

Packaging Information

DESCRIPTION	ITEM CODE	LBS/BOX	PCS/BOX	SQFT/BOX	PCS/SKID	SQFT/SKID
AGGREGATE SAND 18x36	336-101	64.2	3	13.5	87	391.5
AGGREGATE LIGHT GREY 18x36	336-102	64.2	3	13.5	87	391.5
AGGREGATE DARK GREY 18x36	336-103	64.2	3	13.5	87	391.5

General Specifications

DESCRIPTION	METHOD	UNIT	12"x24"
ACTUAL SIZE	ISO 10545-2	mm - in	450 x 900 mm 17.7 x 35.4 in
THICKNESS	ISO 10545-2	mm - in	9.8 mm 0.39 in
WATER ABSORPTION	ISO 10545-3	(%)	≤ 0.1
ABRASION RESISTANCE	ISO 10545-4	(PEI)	Class 3
SCRATCH HARDNESS	EN 15771	(Mohs)	5
BREAKING STRENGTH	ISO 10545-4	(N)	≥ 1300
CHEMICAL RESISTANCE	ISO 10545-13	(GL)	Class GLA
FROST RESISTANCE	ISO 10545-12		Fully Resistant
STATIC COF (WET)		(μ)	≥ 0.60
STATIC COF (DRY)		(μ)	≥ 0.70
SHADE VARIATION			V2
CONTENT OF RECYCLED MATERIAL			0.02

TILE + STONE SOURCE

Tile + Stone Source

#105, 6204 6A St SE
Calgary, AB T2H 2B7
403.252.8868

15304 111 Ave NW
Edmonton, AB T5M 4C8
780.756.8453

tilestonesource.com